Förhandsgranskning / Preview Standard withdrawn.

SKOGSINDUSTRIERNAS
TEKNIK AB
Pulp and Paper Industries' Engineering Co
Sweden

SSG 1384E

Date	Edition	Designation	Page
1998-03-01	3	TKRR	1(1)

Loose flanges for GAP jointing sleeves. Hot dip zinc coated. PN 10

Introduction

This standard refers to loose flanges with d_i dimensions intended for GAP jointing sleeves SSG 1809.

The standard has been subjected to type examination and approved with respect to material and strength by Swedish Plant Inspectorate AB.

Reference is to be made to Type Examination Certificate No 8764.

1 Designation

Loose flange SSG 1384 - DN

1.1 Example

Loose flange SSG 1384 - 50

2 Requirements

2.1 Material

SS Steel 1432-01[1)].

2.2 Surface treatment

Hot dip zinc coating in accordance with SS 3583, Class A[1)].

2.3 Pressure and temperature


In accordance with Swedish Code for Pipelines of Plastic Pipes 1988.

2.4 Marking

Loose flanges shall be marked with data regarding

- name of firm or trade mark
- material designation in accordance with Swedish Standard
- DN/d_i
- pressure class
- identification number of manufacturer

2.5 Dimensions



DN	Pipe D_i	D	D_h	d_i	F	f	Holes for bolts D_s	Holes for bolts No
50	50	165	125	79	18	6	18	4
80	80	200	160	109	20	6	18	8
100	100	220	180	136	18	6	18	8
150	150	285	240	189	22	6	22	8
200	200	340	295	239	24	5	22	8
250	250	395	350	295	26	5	22	12
300	300	445	400	345	28	5	22	12
400	400	565	515	443	34	6	26	16
500	500	670	620	546	38	6	26	20
600	600	780	725	646	43	7	30	20

1) Swedish standard

Postal address
Box 140, S-851 03 Sundsvall
Phone
+46 60 12 38 50
Telefax
+46 60 15 07 10

Number of app.

Not to be reprinted without permission